
A Survey of the Quality of Water Drawn from Domestic Wells in Nine Midwest States

Table of Contents | Introduction and Methods | Results | Discussion | References | Appendix | | Appendix | I

Figure 1. A county map used to locate households to be sampled in the 1994 Midwest Well Water Survey. Households nearest to the intersection and within the circle and county sampled.




file://A:\figure1.htm

A Survey of the Quality of Water Drawn from Domestic Wells in Nine Midwest States

<u>Table of Contents</u> | <u>Introduction and Methods</u> | <u>Results</u> | <u>Discussion</u> | <u>References</u> | <u>Appendix I</u> | <u>Appendix II</u>

Figure 2. Location of sampling areas in the 1994 Midwest Well Water Survey




file://A:\figure2.htm

A Survey of the Quality of Water Drawn from Domestic Wells in Nine Midwest States

Table of Contents | Introduction and Methods | Results | Discussion | References | Appendix | | Appendix | I

Figure 3. Coliform bacteria and E. coli concentration of well water samples collected in the 1994 Midwest Well Water Survey

- 3238 (58.7%) of 5520 samples had coliform bacteria concentrations less than 1.1 cfu/100 mL
- 4909 (88.9%) of 5520 samples had E. coli concentrations less than 1.1 cfu/100 mL
- * 23 cfu/100 mL is the upper quantitative limit of the assay




file://A:\figure3.htm

A Survey of the Quality of Water Drawn from Domestic Wells in Nine Midwest States

<u>Table of Contents</u> | <u>Introduction and Methods</u> | <u>Results</u> | <u>Discussion</u> | <u>References</u> | <u>Appendix I</u> | <u>Appendix II</u>

Figure 4. Coliform bacteria in water samples collected from the 1994 Midwest Well Water Survey




file://A:\figure4.htm 10/14/99

A Survey of the Quality of Water Drawn from Domestic Wells in Nine Midwest States

<u>Table of Contents</u> | <u>Introduction and Methods</u> | <u>Results</u> | <u>Discussion</u> | <u>References</u> | <u>Appendix I</u> | <u>Appendix II</u>

Figure 5. E. coli in water samples collected from the 1994 Midwest Well Water Survey




file://A:\figure5.htm

A Survey of the Quality of Water Drawn from Domestic Wells in Nine Midwest States

<u>Table of Contents</u> | <u>Introduction and Methods</u> | <u>Results</u> | <u>Discussion</u> | <u>References</u> | <u>Appendix I</u> | <u>Appendix II</u>

Figure 6. Nitrate levels in water samples collected from the 1994 Midwest Well Water Survey




file://A:\figure6.htm 10/14/99

A Survey of the Quality of Water Drawn from Domestic Wells in Nine Midwest States

<u>Table of Contents</u> | <u>Introduction and Methods</u> | <u>Results</u> | <u>Discussion</u> | <u>References</u> | <u>Appendix I</u> | <u>Appendix II</u>

Figure 7. Atrazine levels in water samples collected from the 1994 Midwest Well Water Survey




file://A:\figure7.htm

A Survey of the Quality of Water Drawn from Domestic Wells in Nine Midwest States

<u>Table of Contents</u> | <u>Introduction and Methods</u> | <u>Results</u> | <u>Discussion</u> | <u>References</u> | <u>Appendix I</u> | <u>Appendix II</u>

Figure 8. Distribution of wells construction of wells in the 1994 Midwest Well Water Survey



file://A:\figure8.htm